

ASSAM SCIENCE TECHNOLOGY AND ENVIRONMENT COUNCIL

Bigyan Bhawan
Near IDBI Bldg, G.S. Road
Guwahati - 781 005
Assam, India



Telephone : 0361-2461240
: 0361-2464618
Fax : 0361-2464617
E-mail : astec@rediffmail.com

No. ASTEC/ENV/1356/2006-2007

Date: 13/01/09

NOTICE INVITING QUOTATION

Sealed quotations alongwith I.P.O. of Rs. 20.00 (Rupees Twenty only) (non-refundable) in favour of Director, ASTEC are invited by the undersigned from Manufacturer/Dealer/Authorized Agents for supply and installation of the items mentioned below. The offers should contain detailed feature of the items. The quotation should reach to the undersigned on or before 12 noon of 21 Feb. 2009 and the same will be opened at 2.00 p.m. on 21 Feb. 2009. The rate of all the articles should be quoted inclusive of all applicable taxes (i.e. T.D.S., VAT., etc.) and applicable taxes will be deducted at source. Form D will be provided if CST is applicable.

Terms & Conditions:-

1. PAN No. and GRN/VAT Registration No. are to be mentioned clearly with supporting evidence otherwise quotation will be rejected
2. Valid Dealership certificate should be enclosed with the quotation papers otherwise quotation will be rejected.
3. The materials are to be supplied within 30 days from the date of receipt of order.
4. 100% payment will be made on supply and satisfactory installation.
5. Guarantee/Warranty for a period of at least one year from the date of installation.
6. Rates should be quoted in rupees inclusive of all taxes i.e. T.D.S. & VAT, etc. and other applicable charges (if any). Applicable tax will be deducted at source for which necessary Tax deduction certificate will be issued to the supplier as and when asked for.
7. Any dispute will be settled within the jurisdiction of Gauhati High Court only.
8. Director, ASTEC reserves the right to accept any offer that would be advantageous to the Council or reject any or all quotations without assigning any reason thereof.
9. All items should be international branded.

Sd/-
Director
ASTE Council

Copy to:

- 1) Notice Board
- 2) Dealers/Agents
- 3) Dy F.A.O
- 4) Office file

Sd/-
Director

Detailed Specifications of the Items

1.	<p>Lap top</p> <p>Processor type • Intel® Core™2 Duo Processor T5470 • 1.60 GHz, 2 MB L2 cache, 800 MHz Front Side Bus and above</p> <p>Chipset Mobile Intel® GME965 Express Chipset</p> <p>Standard memory 1024 MB DDR2 667 MHz</p> <p>System features</p> <p>Internal drives 160 GB</p> <p>Hard disk drive speed 5400 rpm</p> <p>Optical drives DVD+/-RW SuperMulti DL LightScribe Drive</p> <p>Display size 14.1 inches diagonal</p> <p>Graphic subsystem name: Intel® Graphics Media Accelerator X3100</p> <p>Graphic subsystem video card memory: Up to 384 MB shared system memory</p> <p>External I/O ports 3 USB 2.0 ports, VGA, stereo microphone in, stereo headphone/line out, power connector, RJ-11/modem, RJ-45/ethernet</p> <p>Expansion slots Slots available for additional devices: 1 ExpressCard/54 slot, Secure Digital (SD) slot</p> <p>Audio High definition audio, mono speakers, stereo headphone/line out, stereo microphone in</p> <p>Network interface Intel® Fast Ethernet Integrated Controller (10/100 NIC)</p> <p>Wireless technologies Intel® Wireless LAN 802.11 a/b/g, Bluetooth 2.0+</p> <p>Modem 56K modem</p> <p>Power requirements External 65W AC adapter, HP Fast Charge Technology</p> <p>Power features 6-cell (47 WHr) Lithium-Ion battery</p> <p>Keyboard Full-sized keyboard</p> <p>Pointing device Touchpad with scroll zone</p>	1 no.
2.	<p>Desktop Computers</p> <p>Processor type Intel® Pentium® Dual Core Processor E2180 (2.00 GHz, 1 MB L2 cache, 800 MHz FSB) and above</p> <p>Cache 1 MB L2 cache</p> <p>Processor front side bus 800 or 1333 MHz Front Side Bus</p> <p>Chipset Intel® G33 Express Chipset</p> <p>Memory type 1GB, DDR2-Synch DRAM PC2-6400 (800 MHz)</p> <p>Internal drives</p> <p>Internal drives 160 GB SATA NCQ HDD SMART IV HDD</p> <p>Hard disk drive speed 7200 rpm</p> <p>Hard disk controller SATA 3.0 Gb/s</p> <p>Optical drives SATA SuperMulti LightScribe DVD Writer Drive</p> <p>System features</p> <p>Graphic card 01 Intel® Graphics Media Accelerator 3100</p> <p>Graphic card 02 NVIDIA GeForce 8400 GS (256MB) Single Head PCIe x16</p> <p>Chassis type Microtower</p> <p>Internal audio Integrated Realtek ALC883 HD Audio compatible codec with eight channel audio; Internal PC speaker (Optional)</p> <p>External I/O ports Rear: 6 USB 2.0, 1 serial port, 1 parallel port, 2 PS/2, 1 RJ-45, 1 VGA, 1 audio in, 1 audio out, 1 MIC; Front: 2</p>	2 Nos.

	Expansion slots External drive bays Network interface Power requirements Keyboard Pointing device	USB 2.0, MIC, Headset 2 full-height PCI 2.3 slots, 1 PCI-Express X1 slot, 1 PCI-Express X16 slot 2 external 5.25 inch, 2 external 3.5 inch Integrated Realtek 8111C GbE Ethernet Controller ATX Power Supply – non-PFC with a 230v HP PS/2 or USB Standard Keyboard PS/2 2-Button Optical Scroll Mouse, USB 2-Button Optical Scroll Mouse	
3.	USB Optical Mouse		1 No.
4.	Licensed Version of Microsoft Windows XP Professional		3 Nos.
5.	800 VA offline UPS, of make Elnova		2 Nos.
6.	Aesthetically designed Revolving chairs – Computer Chair of reputed make		2 Nos.
7.	Aesthetically designed Computer Table with provision for keeping the keyboard on drawers, shelves for CPUs etc. of reputed make.		2 Nos.
8.	Corel Draw Suite ver. 14		1 No.
9.	Ink cartridges – HP 11 for HP Business Deskjet 1100 Black 1 No. Cyan 1 No. Yellow 1 No. Magenta 1 No.		1 set

Sd/-
 Director
 ASTECouncil